Brain Research, 623 (1993) 356–358
Elsevier Science Publishers B.V.

Author Index

Aguila, M.C. and McCann, S.M.
Growth hormone increases somatostatin release and messenger ribonucleic acid levels in the rat hypothalmus (623) 89
Anderson, J.J., Chase, T.N. and Engber, T.M.
Substance P increases release of acetylcholine in the dorsal striatum of freely moving rats (623) 189
Andreatta, R.D., see Barlow, S.M. (623) 181
Arce, A., see Gil-Loyzaga, P. (623) 177
Aston-Jones, G., see Shiekhattar, R. (623) 72

Baker, F.H., see Lenz, F.A. (623) 235
Baker, M.W., Vohra, M.M. and Croll, R.P.
Serotonin depletors, 5,7-dihydroxytryptamine and *p*-chlorophenylalanine, cause sprouting in the CNS of the adult snail (623) 311
Barlow, S.M., Finan, D.S., Bradford, P.T. and Andreatta, R.D.
Transitional properties of the mechanically evoked perioral reflex from infancy through adulthood (623) 181
Barone, F.C., Clark, R.K., Price, W.J., White, R.F., Feuerstein, G.Z., Storer, B.L. and Ohlstein, E.H.
Neuron-specific enolase increases in cerebral and systemic circulation following focal ischemia (623) 77
Barthe, J.-Y., Bevengut, M. and Clarac, F.
In vitro, proctolin and serotonin induced modulations of the abdominal motor system activities in crayfish (623) 101
Battaglia, M., see Pavone, F. (623) 308
Beck, B., Burlet, A., Nicolas, J.-P. and Burlet, C.
Galanin in the hypothalamus of fed and fasted lean and obese Zucker rats (623) 124
Berge, O.-G., see Näsström, J. (623) 47
Bevengut, M., see Barthe, J.-Y. (623) 101
Bishop, G.A., Chen, Y.F., Burry, R.W. and King, J.S.
An analysis of GABAergic afferents to basket cell bodies in the cat's cerebellum (623) 293
Bradford, P.T., see Barlow, S.M. (623) 181
Buntin, J.D., see Hnasko, R.M. (623) 257
Burlet, A., see Beck, B. (623) 124
Burlet, C., see Beck, B. (623) 124
Burry, R.W., see Bishop, G.A. (623) 293

Carta, A., see Morelli, M. (623) 334
Catalán-Ahumada, M., Deggouj, N., De Volder, A., Melin, J., Michel, C. and Veraart, C.
High metabolic activity demonstrated by positron emission tomography in human auditory cortex in case of deafness of early onset (623) 287
Cattaneo, I., Kayser, V. and Guilbaud, G.
Differential effects of specific δ and κ opioid receptor antagonists on the bidirectional dose-dependent effect of systemic naloxone in arthritic rats, an experimental model of persistent pain (623) 201
Chan, H.W., see Kawai, M. (623) 142
Chase, T.N., see Anderson, J.J. (623) 189
Chen, Y.F., see Bishop, G.A. (623) 293
Chiba, A., see Kusunoki, S. (623) 83
Clarac, F., see Barthe, J.-Y. (623) 101
Clark, R.K., see Barone, F.C. (623) 77
Coimbra, A., see Tavares, I. (623) 278
Colbourne, F., Nurse, S.M. and Corbett, D.
Spontaneous postischemic hyperthermia is not required for severe CA1 ischemic damage in gerbils (623) 1
Collier, T.J., Gallagher, M.J. and Sladek, C.D.
Cryopreservation and storage of embryonic rat mesencephalic dopamine neurons for one year: comparison to fresh tissue in culture and neural grafts (623) 249
Colwell, D.D., see Kavaliers, M. (623) 316
Corbett, D., see Colbourne, F. (623) 1
Corp, E.S., McQuade, J., Moran, T.H. and Smith, G.P.
Characterization of type A and type B CCK receptor binding sites in rat vagus nerve (623) 161
Cousillas, H., see Gil-Loyzaga, P. (623) 177
Cozzolino, A., see Morelli, M. (623) 334
Cras, P., see Kawai, M. (623) 142
Croll, R.P., see Baker, M.W. (623) 311

Davis, M., see Miserendino, M.J.D. (623) 215
Deggouj, N., see Catalán-Ahumada, M. (623) 287
De la Torre, J.C., Fortin, T., Park, G.A.S., Pappas, B.A. and Richard, M.T.
Brain blood flow restoration 'rescues' chronically damaged rat CA1 neurons (623) 6
Deroche, V., Piazza, P.V., Le Moal, M. and Simon, H.
Individual differences in the psychomotor effects of morphine are predicted by reactivity to novelty and influenced by corticosterone secretion (623) 341
De Souza, E.B., see Takao, T. (623) 172
De Volder, A., see Catalán-Ahumada, M. (623) 287
Di Chiara, G., see Morelli, M. (623) 334
Dickson, S.L., Leng, G. and Robinson, I.C.A.F.
Growth hormone release evoked by electrical stimulation of the arcuate nucleus in anesthetized male rats (623) 95
Dringen, R., Gebhardt, R. and Hamprecht, B.
Glycogen in astrocytes: possible function as lactate supply for neighboring cells (623) 208
Dunn-Meynell, A.A. and Levin, B.E.
α_1-Adrenoceptors in the adult rat barrel field: effects of deafferentation and norepinephrine removal (623) 25

Engber, T.M., see Anderson, J.J. (623) 189
Engel, A.G., see Sieb, J.P. (623) 167
Espey, M.G., see Moffett, J.R. (623) 337
Esquifino, A., see Gil-Loyzaga, P. (623) 177
Eyzaguirre, C., see Pang, L. (623) 349

Fan, L. and McIntosh, T.K.
Cardiovascular effects of microinjection of dynorphin fragments into the nucleus of the solitary tract (NTS) are mediated by non-opioid mechanisms (623) 110
Faudon, M., see Manrique, C. (623) 345
Faull, R.L.M., see Jansen, K.L.R. (623) 299
Fenu, S., see Morelli, M. (623) 334
Fernández-Mateos, P., see Gil-Loyzaga, P. (623) 177
Feuerstein, G.Z., see Barone, F.C. (623) 77
Finan, D.S., see Barlow, S.M. (623) 181
Fortin, T., see De la Torre, J.C. (623) 6
François-Bellan, A.M., see Manrique, C. (623) 345
Fukuda, H., see Kawashima, R. (623) 33

Gallagher, M.J., see Collier, T.J. (623) 249
Gatt, A., see Holmes, G.L. (623) 325
Gaudet, S.J., see Moffett, J.R. (623) 337
Gebhardt, R., see Dringen, R. (623) 208
Gil-Loyzaga, P., Fernández-Mateos, P., Vicente-Torres, M.A., Remezal, M., Cousillas, H., Arce, A. and Esquifino, A.
Effects of noise stimulation on cochlear dopamine metabolism (623) 177
Gintzler, A.R., see Medina, V.M. (623) 41
Gjerstad, L., see Taubøll, E. (623) 329
Gracely, R.H., see Lenz, F.A. (623) 235
Greenberg, B.D., see Kawai, M. (623) 142
Guilbaud, G., see Cattaneo, I. (623) 201
Gustafson, E.L., see Mikkelsen, J.D. (623) 147

Hamprecht, B., see Dringen, R. (623) 208
Hayaishi, O., see Takahata, R. (623) 65
Héry, F., see Manrique, C. (623) 345
Héry, M., see Manrique, C. (623) 345
Hipkens, S.B., see Yurek, D.M. (623) 56
Hirabayashi, Y., see Kusunoki, S. (623) 83
Hnasko, R.M. and Buntin, J.D.
Functional mapping of neural sites mediating prolactin-induced hyperphagia in doves (623) 257
Holmes, G.L., Thurber, S.J., Liu, Z., Stafstrom, C.E., Gatt, A. and Mikati, M.A.
Effects of quisqualic acid and glutamate on subsequent learning, emotionality, and seizure susceptibility in the immature and mature animal (623) 325

Brain Research, 623 (1993) 356–358
Elsevier Science Publishers B.V.

Author Index

Aguila, M.C. and McCann, S.M.
Growth hormone increases somatostatin release and messenger ribonucleic acid levels in the rat hypothalmus (623) 89
Anderson, J.J., Chase, T.N. and Engber, T.M.
Substance P increases release of acetylcholine in the dorsal striatum of freely moving rats (623) 189
Andreatta, R.D., see Barlow, S.M. (623) 181
Arce, A., see Gil-Loyzaga, P. (623) 177
Aston-Jones, G., see Shiekhattar, R. (623) 72

Baker, F.H., see Lenz, F.A. (623) 235
Baker, M.W., Vohra, M.M. and Croll, R.P.
Serotonin depletors, 5,7-dihydroxytryptamine and *p*-chlorophenylalanine, cause sprouting in the CNS of the adult snail (623) 311
Barlow, S.M., Finan, D.S., Bradford, P.T. and Andreatta, R.D.
Transitional properties of the mechanically evoked perioral reflex from infancy through adulthood (623) 181
Barone, F.C., Clark, R.K., Price, W.J., White, R.F., Feuerstein, G.Z., Storer, B.L. and Ohlstein, E.H.
Neuron-specific enolase increases in cerebral and systemic circulation following focal ischemia (623) 77
Barthe, J.-Y., Bevengut, M. and Clarac, F.
In vitro, proctolin and serotonin induced modulations of the abdominal motor system activities in crayfish (623) 101
Battaglia, M., see Pavone, F. (623) 308
Beck, B., Burlet, A., Nicolas, J.-P. and Burlet, C.
Galanin in the hypothalamus of fed and fasted lean and obese Zucker rats (623) 124
Berge, O.-G., see Näsström, J. (623) 47
Bevengut, M., see Barthe, J.-Y. (623) 101
Bishop, G.A., Chen, Y.F., Burry, R.W. and King, J.S.
An analysis of GABAergic afferents to basket cell bodies in the cat's cerebellum (623) 293
Bradford, P.T., see Barlow, S.M. (623) 181
Buntin, J.D., see Hnasko, R.M. (623) 257
Burlet, A., see Beck, B. (623) 124
Burlet, C., see Beck, B. (623) 124
Burry, R.W., see Bishop, G.A. (623) 293

Carta, A., see Morelli, M. (623) 334
Catalán-Ahumada, M., Deggouj, N., De Volder, A., Melin, J., Michel, C. and Veraart, C.
High metabolic activity demonstrated by positron emission tomography in human auditory cortex in case of deafness of early onset (623) 287
Cattaneo, I., Kayser, V. and Guilbaud, G.
Differential effects of specific δ and κ opioid receptor antagonists on the bidirectional dose-dependent effect of systemic naloxone in arthritic rats, an experimental model of persistent pain (623) 201
Chan, H.W., see Kawai, M. (623) 142
Chase, T.N., see Anderson, J.J. (623) 189
Chen, Y.F., see Bishop, G.A. (623) 293
Chiba, A., see Kusunoki, S. (623) 83
Clarac, F., see Barthe, J.-Y. (623) 101
Clark, R.K., see Barone, F.C. (623) 77
Coimbra, A., see Tavares, I. (623) 278
Colbourne, F., Nurse, S.M. and Corbett, D.
Spontaneous postischemic hyperthermia is not required for severe CA1 ischemic damage in gerbils (623) 1
Collier, T.J., Gallagher, M.J. and Sladek, C.D.
Cryopreservation and storage of embryonic rat mesencephalic dopamine neurons for one year: comparison to fresh tissue in culture and neural grafts (623) 249
Colwell, D.D., see Kavaliers, M. (623) 316
Corbett, D., see Colbourne, F. (623) 1
Corp, E.S., McQuade, J., Moran, T.H. and Smith, G.P.
Characterization of type A and type B CCK receptor binding sites in rat vagus nerve (623) 161
Cousillas, H., see Gil-Loyzaga, P. (623) 177
Cozzolino, A., see Morelli, M. (623) 334
Cras, P., see Kawai, M. (623) 142
Croll, R.P., see Baker, M.W. (623) 311

Davis, M., see Miserendino, M.J.D. (623) 215
Deggouj, N., see Catalán-Ahumada, M. (623) 287
De la Torre, J.C., Fortin, T., Park, G.A.S., Pappas, B.A. and Richard, M.T.
Brain blood flow restoration 'rescues' chronically damaged rat CA1 neurons (623) 6
Deroche, V., Piazza, P.V., Le Moal, M. and Simon, H.
Individual differences in the psychomotor effects of morphine are predicted by reactivity to novelty and influenced by corticosterone secretion (623) 341
De Souza, E.B., see Takao, T. (623) 172
De Volder, A., see Catalán-Ahumada, M. (623) 287
Di Chiara, G., see Morelli, M. (623) 334
Dickson, S.L., Leng, G. and Robinson, I.C.A.F.
Growth hormone release evoked by electrical stimulation of the arcuate nucleus in anesthetized male rats (623) 95
Dringen, R., Gebhardt, R. and Hamprecht, B.
Glycogen in astrocytes: possible function as lactate supply for neighboring cells (623) 208
Dunn-Meynell, A.A. and Levin, B.E.
α_1-Adrenoceptors in the adult rat barrel field: effects of deafferentation and norepinephrine removal (623) 25

Engber, T.M., see Anderson, J.J. (623) 189
Engel, A.G., see Sieb, J.P. (623) 167
Espey, M.G., see Moffett, J.R. (623) 337
Esquifino, A., see Gil-Loyzaga, P. (623) 177
Eyzaguirre, C., see Pang, L. (623) 349

Fan, L. and McIntosh, T.K.
Cardiovascular effects of microinjection of dynorphin fragments into the nucleus of the solitary tract (NTS) are mediated by non-opioid mechanisms (623) 110
Faudon, M., see Manrique, C. (623) 345
Faull, R.L.M., see Jansen, K.L.R. (623) 299
Fenu, S., see Morelli, M. (623) 334
Fernández-Mateos, P., see Gil-Loyzaga, P. (623) 177
Feuerstein, G.Z., see Barone, F.C. (623) 77
Finan, D.S., see Barlow, S.M. (623) 181
Fortin, T., see De la Torre, J.C. (623) 6
François-Bellan, A.M., see Manrique, C. (623) 345
Fukuda, H., see Kawashima, R. (623) 33

Gallagher, M.J., see Collier, T.J. (623) 249
Gatt, A., see Holmes, G.L. (623) 325
Gaudet, S.J., see Moffett, J.R. (623) 337
Gebhardt, R., see Dringen, R. (623) 208
Gil-Loyzaga, P., Fernández-Mateos, P., Vicente-Torres, M.A., Remezal, M., Cousillas, H., Arce, A. and Esquifino, A.
Effects of noise stimulation on cochlear dopamine metabolism (623) 177
Gintzler, A.R., see Medina, V.M. (623) 41
Gjerstad, L., see Taubøll, E. (623) 329
Gracely, R.H., see Lenz, F.A. (623) 235
Greenberg, B.D., see Kawai, M. (623) 142
Guilbaud, G., see Cattaneo, I. (623) 201
Gustafson, E.L., see Mikkelsen, J.D. (623) 147

Hamprecht, B., see Dringen, R. (623) 208
Hayaishi, O., see Takahata, R. (623) 65
Héry, F., see Manrique, C. (623) 345
Héry, M., see Manrique, C. (623) 345
Hipkens, S.B., see Yurek, D.M. (623) 56
Hirabayashi, Y., see Kusunoki, S. (623) 83
Hnasko, R.M. and Buntin, J.D.
Functional mapping of neural sites mediating prolactin-induced hyperphagia in doves (623) 257
Holmes, G.L., Thurber, S.J., Liu, Z., Stafstrom, C.E., Gatt, A. and Mikati, M.A.
Effects of quisqualic acid and glutamate on subsequent learning, emotionality, and seizure susceptibility in the immature and mature animal (623) 325

Hong, M., Milne, B. and Jhamandas, K.
Evidence for the involvement of excitatory amino acid pathways in the development of precipitated withdrawal from acute and chronic morphine: an in vivo voltammetric study in the rat locus coeruleus (623) 131

Imaki, T. and Vale, W.
Chlordiazepoxide attenuates stress-induced accumulation of corticotropin-releasing factor mRNA in the paraventricular nucleus (623) 223
Irie, F., see Kusunoki, S. (623) 83

Jansen, K.L.R., Faull, R.L.M., Storey, P. and Leslie, R.A.
Loss of sigma binding sites in the CA1 area of the anterior hippocampus in Alzheimer's disease correlates with CA1 pyramidal cell loss (623) 299
Jhamandas, K., see Hong, M. (623) 131

Kakinuma, E., see Sasakawa, N. (623) 155
Kalaria, R.N., see Kawai, M. (623) 142
Kalin, N.H., see Swiergiel, A.H. (623) 229
Kantha, S.S., see Takahata, R. (623) 65
Karlsson, U., see Näsström, J. (623) 47
Kato, R., see Sasakawa, N. (623) 155
Kavaliers, M. and Colwell, D.D.
Multiple opioid system involvement in the mediation of parasitic-infection induced analgesia (623) 316
Kawai, M., Kalaria, R.N., Cras, P., Siedlak, S.L., Velasco, M.E., Shelton, E.R., Chan, H.W., Greenberg, B.D. and Perry, G.
Degeneration of vascular muscle cells in cerebral amyloid angiopathy of Alzheimer disease (623) 142
Kawase, K., see Takahata, R. (623) 65
Kawashima, I., see Kusunoki, S. (623) 83
Kawashima, R., Yamada, K., Kinomura, S., Yamaguchi, T., Matsui, H., Yoshioka, S. and Fukuda, H.
Regional cerebral blood flow changes of cortical motor areas and prefrontal areas in humans related to ipsilateral and contralateral hand movement (623) 33
Kayser, V., see Cattaneo, I. (623) 201
King, J.S., see Bishop, G.A. (623) 293
Kinomura, S., see Kawashima, R. (623) 33
Koob, G.F., see Rassnick, S. (623) 16
Kotani, M., see Kusunoki, S. (623) 83
Kubo, E., see Takahata, R. (623) 65
Kusunoki, S., Chiba, A., Hirabayashi, Y., Irie, F., Kotani, M., Kawashima, I., Tai, T. and Nagai, Y.
Generation of a monoclonal antibody specific for a new class of minor ganglioside antigens, GQ1bα and GT1aα: its binding to dorsal and lateral horn of human thoracic cord (623) 83

Le Moal, M., see Deroche, V. (623) 341
Leng, G., see Dickson, S.L. (623) 95
Lenz, F.A., Seike, M., Lin, Y.C., Baker, F.H., Rowland, L.H., Gracely, R.H. and Richardson, R.T.
Neurons in the area of human thalamic nucleus ventralis caudalis respond to painful heat stimuli (623) 235
Leslie, R.A., see Jansen, K.L.R. (623) 299
Levin, B.E., see Dunn-Meynell, A.A. (623) 25
Li, Y.-Q., Takada, M., Matsuzaki, S., Shinonaga, Y. and Mizuno, N.
Identification of periaqueductal gray and dorsal raphe nucleus neurons projecting to both the trigeminal sensory complex and forebrain structures: a fluorescent retrograde double-labeling study in the rat (623) 267
Lima, D., see Tavares, I. (623) 278
Lin, Y.C., see Lenz, F.A. (623) 235
Liu, Z., see Holmes, G.L. (623) 325

Maier, S.F., Wiertelak, E.P., Martin, D. and Watkins, L.R.
Interleukin-1 mediates the behavioral hyperalgesia produced by lithium chloride and endotoxin (623) 321
Manrique, C., Segu, L., Héry, F., Héry, M., Faudon, M. and François-Bellan, A.M.
Increase of central 5-HT_{1B} binding sites following 5,7-dihydroxytryptamine axotomy in the adult rat (623) 345
Marks, G.A. and Roffwarg, H.P.
Spontaneous activity in the thalamic reticular nucleus during the sleep/wake cycle of the freely-moving rat (623) 241
Marshall, J.F., see Weihmuller, F.B. (623) 303
Martin, D., see Maier, S.F. (623) 321
Matsui, H., see Kawashima, R. (623) 33
Matsumura, H., see Takahata, R. (623) 65
Matsuzaki, S., see Li, Y.-Q. (623) 267
McCann, S.M., see Aguila, M.C. (623) 89
McIntosh, T.K., see Fan, L. (623) 110
McQuade, J., see Corp, E.S. (623) 161
Medina, V.M., Wang, L. and Gintzler, A.R.
Spinal cord dynorphin: positive region-specific modulation during pregnancy and parturition (623) 41
Melin, J., see Catalán-Ahumada, M. (623) 287
Michel, C., see Catalán-Ahumada, M. (623) 287
Mikati, M.A., see Holmes, G.L. (623) 325
Mikkelsen, J.D. and Gustafson, E.L.
Distribution of phosphatase inhibitor-1-immunoreactive neurons in the suprachiasmatic nucleus of the Syrian hamster (623) 147
Milne, B., see Hong, M. (623) 131
Miserendino, M.J.D. and Davis, M.
NMDA and non-NMDA antagonists infused into the nucleus reticularis pontis caudalis depress the acoustic startle reflex (623) 215
Mizuno, N., see Li, Y.-Q. (623) 267
Moffett, J.R., Espey, M.G., Gaudet, S.J. and Namboodiri, M.A.A.
Antibodies to quinolinic acid reveal localization in select immune cells rather than neurons or astroglia (623) 337
Moran, T.H., see Corp, E.S. (623) 161
Morelli, M., Cozzolino, A., Pinna, A., Fenu, S., Carta, A. and Di Chiara, G.
L-Dopa stimulates c-*fos* expression in dopamine denervated striatum by combined activation of D-1 and D-2 receptors (623) 334
Myers, R.R., see Podhajsky, R.J. (623) 117

Nagai, Y., see Kusunoki, S. (623) 83
Nakaki, T., see Sasakawa, N. (623) 155
Namboodiri, M.A.A., see Moffett, J.R. (623) 337
Näsström, J., Karlsson, U. and Berge, O.-G.
Systemic or intracerebroventricular injection of NMDA receptor antagonists attenuates the antinociceptive activity of intrathecally administered NMDA receptor antagonists (623) 47
Newton, R.C., see Takao, T. (623) 172
Nicolas, J.-P., see Beck, B. (623) 124
Nurse, S.M., see Colbourne, F. (623) 1

O'Dell, S.J., see Weihmuller, F.B. (623) 303
Ohlstein, E.H., see Barone, F.C. (623) 77
Ottersen, O.P., see Taubøll, E. (623) 329

Pang, L. and Eyzaguirre, C.
Hypoxia affects differently the intracellular pH of clustered and isolated glomus cells of the rat carotid body (623) 349
Pappas, B.A., see De la Torre, J.C. (623) 6
Park, G.A.S., see De la Torre, J.C. (623) 6
Partridge, L.D., see Razani-Boroujerdi, S. (623) 195
Pavone, F., Battaglia, M. and Sansone, M.
Attenuation of cholinergic analgesia by nifedipine (623) 308
Perry, G., see Kawai, M. (623) 142
Piazza, P.V., see Deroche, V. (623) 341
Pinna, A., see Morelli, M. (623) 334
Podhajsky, R.J. and Myers, R.R.
The vascular response to nerve crush: relationship to Wallerian degeneration and regeneration (623) 117
Price, W.J., see Barone, F.C. (623) 77

Rassnick, S., Stinus, L. and Koob, G.F.
The effects of 6-hydroxydopamine lesions of the nucleus accumbens and the mesolimbic dopamine system on oral self-administration of ethanol in the rat (623) 16
Razani-Boroujerdi, S. and Partridge, L.D.
Activation and modulation of calcium-activated non-selective cation channels from embryonic chick sensory neurons (623) 195
Remezal, M., see Gil-Loyzaga, P. (623) 177
Richard, M.T., see De la Torre, J.C. (623) 6
Richardson, R.T., see Lenz, F.A. (623) 235
Robinson, I.C.A.F., see Dickson, S.L. (623) 95
Roffwarg, H.P., see Marks, G.A. (623) 241
Rowland, L.H., see Lenz, F.A. (623) 235

Sakai, T., see Takahata, R. (623) 65
Sansone, M., see Pavone, F. (623) 308

Sasakawa, N., Nakaki, T., Kakinuma, E. and Kato, R.
Increase in inositol tris-, pentakis- and hexakisphosphates by high K^+ stimulation in cultured rat cerebellar granule cells (623) 155
Segu, L., see Manrique, C. (623) 345
Seike, M., see Lenz, F.A. (623) 235
Shelton, E.R., see Kawai, M. (623) 142
Shiekhattar, R. and Aston-Jones, G.
Sensory responsiveness of brain noradrenergic neurons is modulated by endogenous brain serotonin (623) 72
Shinonaga, Y., see Li, Y.-Q. (623) 267
Sieb, J.P. and Engel, A.G.
Ephedrine: effects on neuromuscular transmission (623) 167
Siedlak, S.L., see Kawai, M. (623) 142
Simon, H., see Deroche, V. (623) 341
Sladek, C.D., see Collier, T.J. (623) 249
Smith, G.P., see Corp, E.S. (623) 161
Stafstrom, C.E., see Holmes, G.L. (623) 325
Stinus, L., see Rassnick, S. (623) 16
Storer, B.L., see Barone, F.C. (623) 77
Storey, P., see Jansen, K.L.R. (623) 299
Swiergiel, A.H., Takahashi, L.K. and Kalin, N.H.
Attenuation of stress-induced behavior by antagonism of corticotropin-releasing factor receptors in the central amygdala in the rat (623) 229

Tai, T., see Kusunoki, S. (623) 83
Takada, M., see Li, Y.-Q. (623) 267
Takahashi, L.K., see Swiergiel, A.H. (623) 229
Takahata, R., Matsumura, H., Kantha, S.S., Kubo, E., Kawase, K., Sakai, T. and Hayaishi, O.
Intravenous administration of inorganic selenium compounds, inhibitors of prostaglandin D synthase, inhibits sleep in freely moving rats (623) 65
Takao, T., Newton, R.C. and De Souza, E.B.
Species differences in [^{125}I]interleukin-1 binding in brain, endocrine and immune tissues (623) 172
Taubøll, E., Ottersen, O.P. and Gjerstad, L.
The progesterone metabolite 5α-pregnan-3α-ol-20-one reduces K^+-induced GABA and glutamate release from identified nerve terminals in rat hippocampus: a semiquantitative immunocytochemical study (623) 329
Tavares, I., Lima, D. and Coimbra, A.
Neurons in the superficial dorsal horn of the rat spinal cord projecting to the medullary ventrolateral reticular formation express c-*fos* after noxious stimulation of the skin (623) 278
Thurber, S.J., see Holmes, G.L. (623) 325

Vale, W., see Imaki, T. (623) 223
Velasco, M.E., see Kawai, M. (623) 142
Veraart, C., see Catalán-Ahumada, M. (623) 287
Vicente-Torres, M.A., see Gil-Loyzaga, P. (623) 177
Vohra, M.M., see Baker, M.W. (623) 311

Wang, L., see Medina, V.M. (623) 41
Watkins, L.R., see Maier, S.F. (623) 321
Weihmuller, F.B., O'Dell, S.J. and Marshall, J.F.
L-Dopa pretreatment potentiates striatal dopamine overflow and produces dopamine terminal injury after a single methamphetamine injection (623) 303
White, R.F., see Barone, F.C. (623) 77
Wiertelak, E.P., see Maier, S.F. (623) 321

Yamada, K., see Kawashima, R. (623) 33
Yamaguchi, T., see Kawashima, R. (623) 33
Yoshioka, S., see Kawashima, R. (623) 33
Yurek, D.M. and Hipkens, S.B.
Intranigral injections of SCH 23390 inhibit amphetamine-induced rotational behavior (623) 56